



Medtronic

ENT Blades and Burs

FOR THE STRAIGHTSHOT® M4 MICRODEBRIDER



ENT Blades and Burs

Table of Contents

A Generation of Powered ENT Tools.....	1
Automated EM Tracking Blades.....	2-3
Quadcut® Blades.....	4
Straight Sinus Blades.....	5-6
Powered Inferior Turbinoplasty Surgical Technique.....	7
Curved Sinus Blades.....	8-10
Straight Sinus Burs.....	11
Modified Lothrop Procedure: Selecting the Best Burs.....	12
Papilloma Surgical Technique.....	13
Curved Sinus Burs.....	14-15
Airway Blades.....	16-18
Tonsillectomy and Adenoidectomy Blades.....	19
Aesthetic Blades and Burs.....	20
IPC® System.....	22

A Generation of Powered ENT Tools

IPC® (Integrated Power Console) and Straightshot® M4 Microdebrider



This dynamic combination provides:

- The widest range of application-specific blades and burs
- Blade tips that rotate 360°
- Factory-calibrated blades for surgical navigation
- Seamless integration with other Medtronic ENT devices

We offer a broad variety of Straightshot M4 blades and burs for specific applications, including:

- Polypectomy
- Turbinoplasty
- Septoplasty and rhinoplasty
- Ethmoidectomy and sphenoidotomy
- Uncinectomy and maxillary antrostomy
- Trephination of frontal and maxillary sinus
- Tonsils and adenoids
- Choanal atresia
- Larynx and airways
- Microscopy sinus surgery

Visit www.MedtronicENT.com for more information.

Automated EM Tracking Blades

M4-Rotatable

TRICUT® BLADE

360°



4.0 mm Tricut® Straight Rotatable Blade with Automated EM Tracking 1884080EM

- 13.0 cm long with straight shaft
- Rotates through 360°
- Offset cutting surface cuts in 3 planes
- Application: ethmoidectomy, sphenoid sinus surgery
- Operating speed: 5,000 rpm, oscillate
- 1 each, irrigation tubing separate

RAD® 12 BLADE

360°



4.0 mm RAD® 12 Curved Rotatable Blade with Automated EM Tracking 1884012EM

- 11.0 cm long with curved shaft
- StraightsHOT® M4 rotates blade tip 360° without shaft rotation
- Offset cutting surface cuts in 3 planes
- Application: uncinectomy, ethmoidectomy
- Operating speed: 5,000 rpm, oscillate
- 1 each, irrigation tubing separate

RAD® 40 BLADE

360°



4.0 mm RAD® 40 Curved Rotatable Blade with Automated EM Tracking 1884006EM

- 11.0 cm long with curved shaft
- StraightsHOT M4 rotates blade tip 360° without shaft rotation
- Offset cutting surface cuts in 3 planes
- Application: uncinectomy, ethmoidectomy
- Operating speed: 5,000 rpm, oscillate
- 1 each, irrigation tubing separate

IRRIGATION TUBING

Irrigation Tubing for Blades and Burs 1895522

- For use with IPC® blades and burs
- 5 each

Speeds are suggested rpm (revolutions per minute), operated in oscillation mode for blades and (forward) mode for burs.

Measurements are listed in millimeters unless otherwise specified.

Automated EM Tracking Blades

First and Only Factory-Calibrated Blades for Navigation

For Fusion® ENT Navigation and the Straightshot® M4 Microdebrider



The innovative Automated EM Tracking Blades deliver unparalleled convenience and technology integration. They're the first and only blades that are factory-calibrated for navigation, right out of the box. Attach the blade to the M4 microdebrider and the Fusion® system, and start navigating.

With this latest innovation, we continue to deliver the feature expansion and product integration that you expect from Medtronic.

Unique features include:

- No array, no clamps, no calibration, no waiting
- First and only factory-calibrated blades for navigation
- True "plug and play" is more convenient and efficient

Visit www.MedtronicENT.com for more information.

Quadcut[®] Blades

for the Straightshot[®] M4

QUADCUT[™] BLADES

360°



4.3 mm Quadcut[™] Blade 1884380HR

- 13.0 cm long with straight shaft
- Rotates through 360°
- 70% reduction in clogging over Tricut[®] Blade
- Outer teeth stabilize tissue while inner blade cuts
- Better engagement of ethmoid bone
- Operating speed: 5,000 rpm, oscillate
- 5 each with irrigation tubing



3.4 mm Quadcut Blade 1883480HRE

- 13.0 cm long with straight shaft
- Rotates through 360°
- Reduced clogging over the Tricut[®] Blade
- Outer teeth stabilize tissue while inner blade cuts
- Improved precision
- Better engagement of ethmoid bone
- Operating speed: 5,000 rpm, oscillate
- 1 each with irrigation tubing



3.0 mm Quadcut Blade 1883080HRE

- 13.0 cm long with straight shaft
- Rotates through 360°
- Reduced clogging over the Tricut[®] Blade
- Outer teeth stabilize tissue while inner blade cuts
- Better engagement of the ethmoid bone
- Improved precision
- Operating speed: 5,000 rpm, oscillate
- 1 each with irrigation tubing



Quadcut[®] Blades

Real Relief from Blade Clogging

Powered FESS is an important advancement in surgical treatment, yet some challenges remain. Medtronic engineers continually strive to enhance technology, making surgery better for you and your patients.

*The Innovative Quadcut[®] Blades Offer:

- Reduced blade clogging over the Tricut[®] Blades
- Better engagement of ethmoid bone
- Improved precision and reduced collateral tissue damage



Test Medium

Oyster and eggshell mixture

MMR (Material Removal Rate)

(Tissue weight / minutes)

Cut Score

Material removed / clogs

- 70% reduction in clogging over the Tricut[®] Blade
- Approximately 17% additional tissue resection

* Boone JL, Feldt BA, McMains KC, Weitzel EK. Improved function of prototype 4.3-mm Medtronic Quadcut microdebrider blade over standard 4.0-mm Medtronic Tricut microdebrider blade. *Int Forum Allergy Rhinol*, 2011; 1:198-200.

Data collected from 4.3 mm Quadcut Blade

Straight Sinus Blades

M4-Rotatable

TRICUT® BLADES

360°



4.0 mm Tricut® Blade 1884004HR

- 11.0 cm long with straight shaft
- Rotates through 360°
- Offset cutting surface cuts in 3 planes
- Application: ethmoidectomy
- Operating speed: 5,000 rpm, oscillate
- 5 each with irrigation tubing

4.0 mm Tricut® Blade 1884080HR

- 13.0 cm long with straight shaft
- Rotates through 360°
- Offset cutting surface cuts in 3 planes
- Application: ethmoidectomy, sphenoid sinus surgery
- Operating speed: 5,000 rpm, oscillate
- 5 each with irrigation tubing



3.5 mm Tricut® Blade 1883504HR

- 11.0 cm long with straight shaft
- Rotates through 360°
- Offset cutting surface cuts in 3 planes
- Application: ethmoidectomy
- Operating speed: 5,000 rpm, oscillate
- 5 each with irrigation tubing



2.9 mm Tricut® Blade 1882904HRE

- 11.0 cm long with straight shaft
- Rotates through 360°
- Offset cutting surface cuts in 3 planes
- Application: pediatric sinus surgery
- Operating speed: 5,000 rpm, oscillate
- 1 each with irrigation tubing

SERRATED BLADES

360°



4.0 mm Serrated Blade 1884002HRE

- 11.0 cm with straight shaft
- Rotates through 360°
- Application: ethmoidectomy
- Operating speed: 5,000 rpm, oscillate
- 1 each with irrigation tubing



3.5 mm Serrated Blade 1883502HRE

- 11.0 cm long with straight shaft
- Rotates through 360°
- Application: ethmoidectomy
- Operating speed: 5,000 rpm, oscillate
- 1 each with irrigation tubing



2.9 mm Serrated Blade 1882902HRE

- 11.0 cm long with straight shaft
- Rotates through 360°
- Application: pediatric sinus surgery
- Operating speed: 5,000 rpm, oscillate
- 1 each with irrigation tubing

SILVER BULLET®

360°



4.0 mm Silver Bullet® Blade 1884005HRE

- 11.0 cm long with straight shaft
- Rotates through 360°
- Application: ethmoidectomy
- Operating speed: 5,000 rpm, oscillate
- 1 each with irrigation tubing
- Developed in conjunction with Rodney Lusk, MD



2.9 mm Silver Bullet® Blade 1882905HRE

- 11.0 cm long with straight shaft
- Rotates through 360°
- Application: choanal atresia
- Operating speed: 5,000 rpm, oscillate
- 1 each with irrigation tubing
- Developed in conjunction with Rodney Lusk, MD

TURBINATE

360°



2.9 mm Inferior Turbinate Blade 1882940HR

- 11.0 cm long
- Rotates through 360°
- Straight shaft with elevator
- Application: submucosal resection of inferior turbinate
- Operating speed: 3,000 rpm, oscillate
- 5 each with irrigation tubing
- Developed in conjunction with Laurence O'Halloran, MD



2.0 mm Inferior Turbinate Blade 1882040HR

- 11.0 cm long
- Rotates through 360°
- Straight shaft with elevator
- Application: submucosal resection of inferior turbinate
- Operating speed: 3,000 rpm oscillate
- 5 each with irrigation tubing
- Developed in conjunction with Laurence O'Halloran, MD

Straight Sinus Blades

Non-Rotatable

TRICUT® BLADES



4.0 mm Tricut® Blade **1884004**

- 11.0 cm long with straight shaft
- Offset cutting surface cuts in 3 planes
- Application: ethmoidectomy
- Operating speed: 5,000 rpm, oscillate
- 5 each with irrigation tubing



3.5 mm Tricut® Blade **1883504**

- 11.0 cm long with straight shaft
- Offset cutting surface cuts in 3 planes
- Application: ethmoidectomy
- Operating speed: 5,000 rpm, oscillate
- 5 each with irrigation tubing



2.9 mm Tricut® Blade **1882904**

- 11.0 cm long with straight shaft
- Offset cutting surface cuts in 3 planes
- Application: pediatric sinus surgery
- Operating speed: 5,000 rpm, oscillate
- 5 each with irrigation tubing

SERRATED BLADES



4.0 mm Serrated Blade **1884002**

- 11.0 cm long with straight shaft
- Application: ethmoidectomy
- Operating speed: 5,000 rpm, oscillate
- 5 each with irrigation tubing



3.5 mm Serrated Blade **1883502**

- 11.0 cm long with straight shaft
- Application: ethmoidectomy
- Operating speed: 5,000 rpm, oscillate
- 5 each with irrigation tubing



2.9 mm Serrated Blade **1882902**

- 11.0 cm long with straight shaft
- Application: pediatric sinus surgery
- Operating speed: 5,000 rpm, oscillate
- 5 each with irrigation tubing

SILVER BULLET® BLADES



4.0 mm Silver Bullet® Blade **1884005**

- 11.0 cm long with straight shaft
- Application: ethmoidectomy
- Operating speed: 5,000 rpm, oscillate
- 5 each with irrigation tubing
- Developed in conjunction with Rodney Lusk, MD



2.9 mm Silver Bullet® Blade **1882905**

- 11.0 cm long with straight shaft
- Application: choanal atresia
- Operating speed: 5,000 rpm, oscillate
- 5 each with irrigation tubing
- Developed in conjunction with Rodney Lusk, MD

INFERIOR TURBINATE



2.9 mm Inferior Turbinate Blade **1882940**

- 11.0 cm long
- Straight shaft with elevator
- Application: submucosal resection of inferior turbinate
- Operating speed: 60-3,000 rpm, oscillate
- 5 each with irrigation tubing
- Developed in conjunction with Laurence O'Halloran, MD



2.0 mm Inferior Turbinate Blade **1882040**

- 11.0 cm long
- Straight shaft with elevator
- Application: submucosal resection of inferior turbinate
- Operating speed: 60-3,000 rpm, oscillate
- 5 each with irrigation tubing
- Developed in conjunction with Laurence O'Halloran, MD

Speeds are suggested rpm (revolutions per minute), operated in oscillation mode for blades and (forward) mode for burs.

Measurements are listed in millimeters unless otherwise specified.

Powered Inferior Turbinoplasty

Long-Term Results with One Treatment


Chronic inferior turbinate hypertrophy is a common cause of nasal obstruction that can have significant effects on quality of life.¹ Minimally invasive surgical technologies have evolved to address this condition, including laser, radiofrequency (RF), and microdebrider methods.

Compared to RF Methods, Our Inferior Turbinate Blade²⁻⁴

- Offers significant and long-term results with one treatment
- Results in significantly reduced postoperative complications
- Helps achieve the goals of volumetric reduction
- Helps avoid unpredictable thermal damage to surrounding tissue

Study Results

VAS Scores after Inferior Turbinoplasty with Microdebrider-Assisted Surgery²



VAS Scores: Assessing the Effectiveness of IT Reduction


There are a variety of ways to evaluate surgical results, but the most direct method is to ask patients how they feel. The Visual Analog Scale (VAS) is a subjective measurement tool that evaluates the patient's perception of his or her nasal health, including nasal obstruction, rhinorrhea, snoring, and sneezing. Answers usually range from 0 (no symptoms) to 10 (the most severe symptoms).

Surgical Technique

The primary goal of turbinate surgery is volumetric reduction of submucosal vascular stromal tissue with preservation of overlying respiratory epithelium (Fig. 01). This mucosa is essential to proper turbinate function, such as warming and humidifying inspired air and mucociliary clearance.

Inferior turbinoplasty with the Straightshot® M4 is a minimally invasive technique, typically requiring just one 2.0 mm or 2.9 mm incision into the anterior portion of the turbinate (Fig. 02).

The physician inserts the IT Blade beneath the mucosal layer. After creating a submucosal dissection plane with the blade's elevator tip, remove the intervening stromal tissue (Fig. 03-04).



The underlying turbinate bone is not removed and the overlying mucosa is also preserved. This technique reduces the size of the inferior turbinate with no damage to the functional mucosal tissue, such as blanching or crusting.

Once the turbinoplasty has been completed, the turbinate can be outfractured using standard techniques.

However, none of the patients in the three studies referenced on this page received an outfracture, and these patients experienced excellent long-term results.³⁻⁵

At the surgeon's discretion, Merocel® packing may be used for the first 24 hours. Studies suggest its value in eliminating postoperative bleeding, including the Liu and Chen studies.²⁻⁴

For the complete surgical technique, please contact your Medtronic ENT representative.

Nota Bene: The technique description herein and the use of instructions for the related procedures are made available by Medtronic ENT to the healthcare professional to illustrate the author's suggested treatment for the uncomplicated patient. In the final analysis, the preferred treatment is that which, in the healthcare professional's judgment, addresses the needs of the individual patient.

Curved Sinus Blades

M4-Rotatable

RAD® 12 BLADES

360°



4.0 mm RAD® 12 Blade 1884012HR

- 11.0 cm long with curved shaft
- Straightshot® M4 rotates blade tip 360° without shaft rotation
- Offset cutting surface cuts in 3 planes
- Application: uncinectomy, ethmoidectomy
- Operating speed: 5,000 rpm, oscillate
- 5 each, irrigation tubing separate



3.5 mm RAD® 12 Blade 1883512HRE

- 11.0 cm long with curved shaft
- Straightshot M4 rotates blade tip 360° without shaft rotation
- Offset cutting surface cuts in 3 planes
- Application: uncinectomy, ethmoidectomy
- Operating speed: 5,000 rpm, oscillate
- 1 each, irrigation tubing separate

SKIMMER® BLADE

360°



2.9 mm Skimmer® Angle-Tip Blade 1882979HRE

- 13.0 cm long double-curved blade
- Application: pituitary tumor resection
- Operating speed: 60-500 rpm
- Low-profile distal bend: 15°
- 1 each with irrigation tubing

RAD® 40 BLADES

360°



4.0 mm RAD® 40 Blade 1884006HR

- 11.0 cm long with curved shaft
- Straightshot M4 rotates blade tip 360° without shaft rotation
- Offset cutting surface cuts in 3 planes
- Application: uncinectomy, ethmoidectomy
- Operating speed: 5,000 rpm, oscillate
- 5 each, irrigation tubing separate




3.5 mm RAD® 40 Blade 1883506HRE

- 11.0 cm long with curved shaft
- Straightshot M4 rotates blade tip 360° without shaft rotation
- Offset cutting surface cuts in 3 planes
- Application: uncinectomy, ethmoidectomy
- Operating speed: 5,000 rpm, oscillate
- 1 each, irrigation tubing separate


RAD® 60 BLADES

360°



4.0 mm RAD® 60 Blade 1884016HR

- 11.0 cm long with curved shaft
- Straightshot M4 rotates blade tip 360° without shaft rotation
- Offset cutting surface cuts in 3 planes
- Application: frontal sinus surgery
- Operating speed: 5,000 rpm, oscillate
- 5 each, irrigation tubing separate




3.5 mm RAD® 60 Blade 1883516HRE

- 11.0 cm long with curved shaft
- Straightshot M4 rotates blade tip 360° without shaft rotation
- Offset cutting surface cuts in 3 planes
- Application: frontal sinus surgery
- Operating speed: 5,000 rpm, oscillate
- 1 each, irrigation tubing separate

RAD® 90 BLADE

360°



3.5 mm RAD® 90 Blade 1883519HR

- 11.0 cm long with curved shaft
- Straightshot M4 rotates blade tip 360° without shaft rotation
- Offset cutting surface cuts in 3 planes
- Application: maxillary polypectomy, frontal sinusotomy
- Operating speed: 2,000-3,000 rpm, oscillate
- 3 each, irrigation tubing separate

The Straightshot® M4 Microdebrider and 360° rotating RAD® 90 blade allow optimum access to maxillary polyps and the frontal recess.



Curved Sinus Blades

Key-Rotatable*

RAD® 12 BLADE



3.5 mm RAD® 12 Blade 1883514RT

- 11.0 cm long with curved shaft
- Key rotates blade tip 360° without shaft rotation
- Offset cutting surface cuts in 3 planes
- Application: uncinectomy, ethmoidectomy
- Operating speed: 3,000 rpm, oscillate
- 3 each, irrigation tubing separate


RAD® 40 BLADE



3.5 mm RAD® 40 Blade 1883507RT

- 11.0 cm long with curved shaft
- Key rotates blade tip 360° without shaft rotation
- Offset cutting surface cuts in 3 planes
- Application: uncinectomy, ethmoidectomy
- Operating speed: 5,000 rpm, oscillate
- 3 each, irrigation tubing separate

RAD® 60 BLADE



3.5 mm RAD® 60 Blade 1883516RT

- 11.0 cm long with curved shaft
- Key rotates blade tip 360° without shaft rotation
- Offset cutting surface cuts in 3 planes
- Application: frontal sinus surgery
- Operating speed: 5,000 rpm, oscillate
- 3 each, irrigation tubing separate

IRRIGATION TUBING

Irrigation Tubing for Blades and Burs 1895522

- For use with IPC® blades and burs
- 5 each

The Straightshot® Magnum II

With Key-Rotatable Blades

*For use with Straightshot® Magnum II
Speeds are suggested rpm (revolutions per minute), operated in oscillation mode for blades and (forward) mode for burs.


Measurements are listed in millimeters unless otherwise specified.



Curved Sinus Blades

Non-Rotatable

RAD® 12 BLADE



4.0 mm RAD® 12 Blade 1884012

- 11.0 cm long with curved shaft
- Offset cutting surface cuts in 3 planes
- Application: uncinectomy, ethmoidectomy
- Operating speed: 5,000 rpm, oscillate
- 5 each, irrigation tubing separate

4.0 mm RAD® 12 Microscopy Blade 1884012M

- 13.0 cm long
- Multi-bend curved shaft for use with operating microscope
- Offset cutting surface cuts in 3 planes
- Application: uncinectomy, ethmoidectomy
- Operating speed: 3,000 rpm, oscillate
- 5 each, irrigation tubing separate



3.5 mm RAD® 12 Blade 1883514

- 11.0 cm long with curved shaft
- Offset cutting surface cuts in 3 planes
- Application: uncinectomy, ethmoidectomy
- Operating speed: 5,000 rpm, oscillate
- 5 each, irrigation tubing separate

Speeds are suggested rpm (revolutions per minute), operated in oscillation mode for blades and (forward) mode for burs.

Measurements are listed in millimeters unless otherwise specified.

RAD® 40 BLADE



4.0 mm RAD® 40 Blade 1884006

- 11.0 cm long with curved shaft
- Offset cutting surface cuts in 3 planes
- Application: uncinectomy, ethmoidectomy
- Operating speed: 5,000 rpm, oscillate
- 5 each, irrigation tubing separate

4.0 mm RAD® 40 Microscopy Blade 1884006M


- 14.0 cm long
- Multi-bend curved shaft for use with operating microscope
- Offset cutting surface cuts in 3 planes
- Application: frontal sinus surgery
- Operating speed: 3,000 rpm, oscillate
- 3 each, irrigation tubing separate



3.5 mm RAD® 40 Blade 1883507


- 11.0 cm long with curved shaft
- Offset cutting surface cuts in 3 planes
- Application: uncinectomy, ethmoidectomy
- Operating speed: 5,000 rpm, oscillate
- 3 each, irrigation tubing separate

RAD® 60 BLADE



4.0 mm RAD® 60 Blade 1884016

- 11.0 cm long with curved shaft
- Offset cutting surface cuts in 3 planes
- Application: frontal sinus surgery
- Operating speed: 5,000 rpm, oscillate
- 5 each, irrigation tubing separate



3.5 mm RAD® 60 Blade 1883516

- 11.0 cm long with curved shaft
- Offset cutting surface cuts in 3 planes
- Application: frontal sinus surgery
- Operating speed: 5,000 rpm, oscillate
- 3 each, irrigation tubing separate
- Developed in conjunction with William Bolger, MD


RAD® 60 BLADE



2.9 mm RAD® 60 Blade 1882916

- 11.0 cm long with curved shaft
- Offset cutting surface cuts in 3 planes
- Same inner lumen as wider 3.5 mm blades
- Application: frontal sinus surgery
- Operating speed: 1,500 rpm, oscillate
- 3 each, irrigation tubing separate

RAD® 120 BLADE



3.5 mm RAD® 120 Blade 1883517

- 11.0 cm long with curved shaft
- Tapered tip to allow maximum bend angle
- Application: maxillary polypectomy
- Operating speed: 1,500-3,000 rpm, oscillate
- 3 each, irrigation tubing separate

Straight Sinus Burs

OVAL BUR



3.2 mm Oval Bur, High-Speed

1883264HS

- 12.5 cm long with straight shaft
- Cannulated suction bur tip
- Application: sinus drilling
- Operating speed: up to 12,000 rpm (forward)
- 3 each, irrigation tubing separate

ROUND BURS



4.5 mm Round Bur, High-Speed

1884560HS

- 12.5 cm long with straight shaft
- Cannulated suction bur tip
- Application: sphenoid drilling
- Operating speed: up to 12,000 rpm (forward)
- 3 each, irrigation tubing separate



3.2 mm Round Bur, High-Speed

1883262HS

- 12.5 cm long with straight shaft
- Cannulated suction bur tip
- Application: sinus drilling
- Operating speed: up to 12,000 rpm (forward)
- 3 each, irrigation tubing separate



2.9 mm Pediatric Round Bur

1882960

- 10.0 cm long with straight shaft
- Application: choanal atresia
- Operating speed: up to 5,000 rpm (forward)
- 5 each, irrigation tubing separate

ROUTER BUR



4.5 mm Aggressive Router Bur, High-Speed

1884562HS

- 12.5 cm long with straight shaft
- Cannulated suction bur tip
- Application: sinus drilling
- Operating speed: up to 12,000 rpm (forward)
- 3 each, irrigation tubing separate

DRILL



2.0 mm Drill

- Operating speed: 6,000 rpm (forward)
- Irrigation tubing separate

SINUS BUR SETS



Mini-Trephination Set

The complete set includes:

- 1882900, 2.0 mm Drill
- 1892001, Drill Guide
- 1892002, Guide Pin
- 1892003, Irrigation Cannula
- 3717005, Instrument Tray (not shown)
- Irrigation tubing separate
- Developed in conjunction with Barry Schaitkin, MD



Maxillary Trephination Set

Allows trephination through anterior face of the maxillary sinus while helping to reduce damage to dental nerve tissue.

The complete set includes:

- 1886301, Endoscope Sheath with Elevator, 4.0 mm
Endoscope sheath helps deflect soft tissue and nerves during identification of drill site and guide placement
- 1893001, Maxillary Trephination Drill Guide, 5.0 mm
Drill guide is irrigated
- 1884501, Maxillary Trephination Drill Bit, 5.0 mm
- 1893007, Maxillary Trephination Instrument Tray (not shown)
- Operating speed: 12,000 rpm (forward)
- Irrigation tubing separate
- Developed in conjunction with PJ Wormald, MD

*For use with the M4 only

Speeds are suggested rpm (revolutions per minute), operated in oscillation mode for blades and (forward) mode for burs.

Measurements are listed in millimeters unless otherwise specified.

Selecting the Best Bur for the Job




Modified Lothrop Procedure

One of the most technically challenging procedures for the rhinologist is the modified Lothrop procedure, where the frontal sinus nasal floor is removed endoscopically from lacrimal bone to lacrimal bone, including the interfrontal sinus septum and a portion of the nasal bony septum that adjoins the frontal sinus floor.

Choosing the right bur includes choosing the proper angle as well as its shape and aggressiveness. The *RAD® 55 Curved Sinus* and the *RAD® Frontal Finesse Burs* provide an elongated fluted geometry that can drill inferiorly to superiorly into the nasal crest, which can then be extended laterally in a controlled manner (Figures 01 and 02). The *70° Tapered Diamond Bur* can assist in extending the frontal sinus laterally, in a superior to inferior fashion (Figure 03).

Higher frontal sinus cell partitions or osteomas may exist in patients' anatomy that need to be removed. This type of work would require a longer working length, thus the *70°, 5.0 mm ASB Diamond Bur* may be the best option for this type of procedure.

For the complete surgical technique, please contact your Medtronic ENT representative.



Papilloma Surgical Technique

Using Angled Skimmer® Blades for Papilloma Excision

The microdebrider has emerged as a preferred modality of papilloma excision. The Skimmer® Laryngeal Blade was specifically designed for delicate removal of papillomas near the vocal fold while minimizing damage to the epithelium (Figure 01).

Surgical Technique


The ability to successfully excise papillomas while avoiding collateral epithelial damage to the vocal fold serves as a model to the surgical management of papilloma. The recurrent nature of papilloma with resultant numerous surgeries often leads to progressive scarring and poor voice outcomes that may be prevented by the ability to avoid injury to normal tissues with the microdebrider.

Even for bulky disease associated with airway obstruction, the Skimmer blade rapidly removes papilloma in a controlled fashion (Figure 02). In the setting of acute distress, a single controlled pass can rapidly relieve airway obstruction and ensure that the child has a secure airway. Subsequently, a complete excision can be completed in the manner described above (Figure 03).

The development of longer Tricut® blades, coupled with the ability to rotate the blade housing, allows access to the distal airway down to the mainstem bronchi for papilloma removal (Figure 04). A Tricut blade is safe for use in the distal airway as the tracheal and bronchial mucosa is less susceptible to injury than the vocal fold epithelium. In patients with tracheostomies, a useful approach is to pass the blade through the stoma while directly visualizing the blade with a transoral endoscope.

Caution: Careful attention to the transition from papilloma to vocal fold epithelium is requisite. Particular concern is at the region of the anterior commissure where consideration of a staged resection is prudent. Bleeding is generally minimal and self-limited. If visualization becomes compromised, a pledget soaked with a vasoconstrictive agent invariably controls bleeding and allows the surgery to proceed.

Surgical Technique Presented by Matthew T. Brigger, MD, and Christopher J. Hartnick, MD




Curved Sinus Burs

Anterior Skull Base




ASB CUTTING BUR



4.0 mm Anterior Skull Base Cutting Bur,* 15°
1884075HSE

- 15.0 cm long
- Application: Removal of bone in and around sphenoid, sella, clivus, and pterygoid plate
- Operating speed: up to 12,000 rpm (forward)
- 1 each, irrigation tubing separate
- Developed in conjunction with PJ Wormald, MD, and Aldo Stamm, MD

ASB DIAMOND BURS



5.0 mm Anterior Skull Base Diamond Bur,* 15°
1885076HSE

- 15.0 cm long
- Application: Removal of bone in and around sphenoid, sella, clivus, and pterygoid plate
- Operating speed: up to 12,000 rpm (forward)
- 1 each, irrigation tubing separate
- Developed in conjunction with PJ Wormald, MD, and Aldo Stamm, MD

ASB DIAMOND BURS



3.2 mm Anterior Skull Base Diamond Bur,* 40°
1883277HSE

- 15.0 cm long
- Application: Removal of bone in and around sphenoid, sella, clivus, and pterygoid plate
- Operating speed: up to 12,000 rpm (forward)
- 1 each, irrigation tubing separate
- Developed in conjunction with PJ Wormald, MD, and Aldo Stamm, MD

SKIMMER® BLADE

360°




2.9 mm Skimmer® Angle-Tip Blade
1882979HRE

- 13.0 cm long double-curved blade
- Application: pituitary tumor resection
- Operating speed: 60-500 rpm
- Low-profile distal bend: 15°
- 1 each with irrigation tubing



3.2 mm Anterior Skull Base Diamond Bur,* 15°
1883274HSE

- 15.0 cm long
- Application: Removal of bone in and around sphenoid, sella, clivus, and pterygoid plate
- Operating speed: up to 12,000 rpm (forward)
- 1 each, irrigation tubing separate
- Developed in conjunction with PJ Wormald, MD, and Aldo Stamm, MD



5.0 mm Anterior Skull Base Diamond Bur,* 70°
1885078HSE

- 13.0 cm long
- Application: Removal of frontal sinus septations and osteomas *above* the level of frontal recess
- Operating speed: up to 12,000 rpm (forward)
- 1 each, irrigation tubing separate
- Developed in conjunction with PJ Wormald, MD, and Aldo Stamm, MD

Curved Sinus Burs

(continued)

TAPERED DIAMOND BURS



4.0 mm Choanal Atresia Bur, High-Speed

1883673HS

- 13.0 cm long with curved shaft
- Cannulated suction bur tip
- Application: removal of vomer
- Operating speed: up to 12,000 rpm (forward)
- 3 each, irrigation tubing separate
- Developed in conjunction with Gary Josephson, MD




4.0 mm Tapered Diamond Bur, High-Speed

1883672HS

- 13.0 cm long with curved shaft
- Cannulated suction bur tip
- Application: frontal sinusotomy
- Operating speed: up to 12,000 rpm (forward)
- 3 each, irrigation tubing separate
- Developed in conjunction with David Kennedy, MD

ROUND DIAMOND BUR



5.0 mm Curved Round Diamond Bur, High-Speed

1885061HS

- 12.5 cm long with curved shaft
- Cannulated suction bur tip
- Application: trans-sphenoidal surgery
- Operating speed: up to 12,000 rpm (forward)
- 3 each, irrigation tubing separate
- Developed in conjunction with David Kennedy, MD

SEPTOPLASTY BUR



3.2 mm Septoplasty Bur, High-Speed

1883212HS

- 11.0 cm long with curved shaft
- Cannulated suction bur tip
- Application: removal of bony and cartilaginous septal deviations
- Operating speed: up to 12,000 rpm (forward)
- 3 each, irrigation tubing separate
- Developed in conjunction with Donald Leopold, MD, and Eileen Raynor, MD

DCR BURS



4.0 mm Curved DCR Bur, High-Speed

1884068HS

- 11.0 cm long with curved shaft
- Application: endoscopic drilling of lacrimal bone
- Operating speed: up to 12,000 rpm (forward)
- 3 each, irrigation tubing separate
- Developed in conjunction with Michael Mercandetti, MD



2.5 mm Curved Diamond DCR Bur, High-Speed

1882569HS

- 11.0 cm long with curved shaft
- Cannulated suction bur tip
- Application: endoscopic drilling of lacrimal bone
- Operating speed: up to 12,000 rpm (forward)
- 3 each, irrigation tubing separate
- Developed in conjunction with PJ Wormald, MD


RAD® BURS



3.0 mm RAD® Frontal Finesse Bur, High-Speed

1883070HS

- 13.0 cm long with curved shaft
- 8 flutes
- Cannulated suction bur tip
- Application: frontal sinus drilling
- Operating speed: up to 12,000 rpm (forward)
- 3 each, irrigation tubing separate
- Developed in conjunction with Donald Leopold, MD



3.6 mm RAD® 55 Curved Bur, High-Speed

1883670HS

- 13.0 cm long with curved shaft
- Cannulated suction bur tip
- Application: frontal sinus drilling
- Operating speed: up to 12,000 rpm (forward)
- 3 each, irrigation tubing separate

Speeds are suggested rpm (revolutions per minute), operated in oscillation mode for blades and (forward) mode for burs.

Measurements are listed in millimeters unless otherwise specified.

Airway Blades

M4-Rotatable



SKIMMER® BLADES

360°



2.9 mm Skimmer® Angle-Tip Blade

1882979HRE

- 13.0 cm long double-curved blade
- Application: papilloma and tumor removal, laryngomalacia, and pediatric
- Operating speed: 60-500 rpm
- Low-profile distal bend: 15°
- 1 each with irrigation tubing

2.9 mm Skimmer® Angle-Tip Blade

1882925HRE

- 18.0 cm long double-curved blade
- Application: papilloma removal, laryngomalacia, and trans-sphenoidal hypophysectomy
- Operating speed: 60-500 rpm
- Low-profile distal bend: 15°
- 1 each with irrigation tubing

2.9 mm Skimmer® Angle-Tip Blade

1882923HRE

- 22.0 cm long double-curved blade
- Application: papilloma removal, laryngomalacia, and trans-sphenoidal hypophysectomy
- Operating speed: 60-500 rpm
- Low-profile distal bend: 15°
- 1 each with irrigation tubing

SKIMMER® BLADES

360°



2.9 mm Skimmer® Angle-Tip Blade

1882924HRE

- 27.0 cm long double-curved blade
- Application: papilloma removal, laryngomalacia, and trans-sphenoidal hypophysectomy
- Operating speed: 60-500 rpm
- Low-profile distal bend: 15°
- 1 each with irrigation tubing

TRICUT® BLADES

360°



4.0 mm Tricut® Angle-Tip Laryngeal Blade

1884030HRE

- 22.0 cm long double-curved blade
- Angled tip allows better visibility with endoscopy
- Application: tumor debulking and granulation tissue removal
- Operating speed: 500-1,200 rpm
- 1 each with irrigation tubing
- Developed in conjunction with William Lunn, MD, and Armin Ernst, MD

4.0 mm Tricut® Angle-Tip Subglottic Blade

1884031HRE

- 27.0 cm long double-curved blade
- Angled tip allows better visibility with endoscopy
- Application: tracheal stenosis, tumor debulking, and granulation tissue removal
- Operating speed: 500-1,200 rpm
- 1 each with irrigation tubing
- Developed in conjunction with William Lunn, MD, and Armin Ernst, MD

TRICUT® BLADES

360°



4.0 mm Tricut® Angle-Tip Tracheal Blade


1884033HRE

- 37.0 cm long double-curved blade
- Angled tip allows better visibility with endoscopy
- Application: debulking tracheal papilloma and lesions, tumor debulking, and granulation tissue removal
- Operating speed: 500-1,200 rpm
- 1 each with irrigation tubing
- Developed in conjunction with William Lunn, MD, and Armin Ernst, MD

4.0 mm Tricut® Angle-Tip Bronchial Blade

1884035HRE

- 45.0 cm long double-curved blade
- Rotating angled tip offers access to lateral, medial, and posterior bronchial lesions through a rigid bronchoscope
- Application: debulking bronchial papilloma and lesions, tumor debulking, and granulation tissue removal
- Operating speed: 500-1,200 rpm
- 1 each with irrigation tubing
- Developed in conjunction with William Lunn, MD, and Armin Ernst, MD



Airway Blades

Non-Rotatable

SKIMMER® BLADES




2.9 mm Skimmer® Angle-Tip Blade 1882925

- 18.0 cm long double-curved blade
- Inner suction path is the same as larger curved blade
- Application: recurrent respiratory papilloma (RRP) removal and trans-sphenoidal hypophysectomy
- Operating speed: 60-500 rpm
- Low-profile distal bend: 15°
- 3 each with irrigation tubing
- Developed in conjunction with Craig Derkay, MD, and David Darrow, MD

2.9 mm Skimmer® Angle-Tip Blade 1882923

- 22.5 cm long double-curved blade
- Inner suction path is the same as larger curved blade
- Application: recurrent respiratory papilloma (RRP) removal and trans-sphenoidal hypophysectomy
- Operating speed: 60-500 rpm
- Low-profile distal bend: 15°
- 3 each with irrigation tubing
- Developed in conjunction with Craig Derkay, MD, and David Darrow, MD

SKIMMER® BLADES



3.5 mm Skimmer® Angle-Tip Blade 1883525

- 18.0 cm long double-curved blade
- Application: recurrent respiratory papilloma (RRP) removal and trans-sphenoidal hypophysectomy
- Operating speed: 60-500 rpm
- Low-profile distal bend: 15°
- 3 each with irrigation tubing

3.5 mm Skimmer® Angle- Tip Laryngeal Blade 1883523

- 22.5 cm long double-curved blade
- Application: recurrent respiratory papilloma (RRP) removal and trans-sphenoidal hypophysectomy
- Operating speed: 60-500 rpm
- Low-profile distal bend: 15°
- 3 each with irrigation tubing
- Developed in conjunction with Charles Myer, III, MD; Paul Wilging, MD; Brian Wiatrak, MD; Paul Flint, MD; David Parsons, MD; and John Little, MD

3.5 mm Skimmer® Angle- Tip Subglottic Blade 1883524

- 27.5 cm long double-curved blade
- Application: recurrent respiratory papilloma (RRP) removal and trans-sphenoidal hypophysectomy
- Operating speed: 60-500 rpm
- Low-profile distal bend: 15°
- 3 each with irrigation tubing
- Developed in conjunction with Charles Myer, III, MD; Paul Wilging, MD; Brian Wiatrak, MD; Paul Flint, MD; David Parsons, MD; and John Little, MD

SKIMMER® BLADES



4.0 mm Skimmer® Angle- Tip Laryngeal Blade 1884023

- 22.5 cm long double-curved blade
- Application: recurrent respiratory papilloma (RRP) removal and trans-sphenoidal hypophysectomy
- Operating speed: 60-500 rpm
- Low-profile distal bend: 15°
- 3 each with irrigation tubing
- Developed in conjunction with Charles Myer, III, MD; Paul Wilging, MD; Brian Wiatrak, MD; Paul Flint, MD; David Parsons, MD; and John Little, MD

4.0 mm Skimmer® Angle- Tip Subglottic Blade 1884024

- 27.5 cm long double-curved blade
- Application: recurrent respiratory papilloma (RRP) removal and trans-sphenoidal hypophysectomy
- Operating speed: 60-500 rpm
- Low-profile distal bend: 15°
- 3 each with irrigation tubing
- Developed in conjunction with Charles Myer, III, MD; Paul Wilging, MD; Brian Wiatrak, MD; Paul Flint, MD; David Parsons, MD; and John Little, MD

TRICUT® BLADES



4.0 mm Tricut® Angle-Tip Laryngeal Blade 1884030

- 22.5 cm long double-curved blade
- Application: tumor debulking
- Operating speed: 1,500 rpm
- 3 each with irrigation tubing
- Developed in conjunction with Paul Flint, MD, and John Little, MD

4.0 mm Tricut® Angle-Tip Subglottic Blade 1884031

- 27.5 cm long double-curved blade
- Application: tracheal stenosis
- Operating speed: 1,500 rpm
- 3 each with irrigation tubing



4.0 mm Tricut® Straight- Tip Laryngeal Blade 1884020

- 22.5 cm long
- Straight tip with curve at handpiece
- Application: debulking of RRP lesions
- Operating speed: 1,200 rpm
- 3 each with irrigation tubing
- Developed in conjunction with Paul Flint, MD, and John Little, MD



37 cm long



45 cm long

Airway Blades

Non-Rotatable (continued)


SERRATED BLADES



4.0 mm Serrated Angle-Tip Tracheal Blade **1884033**

- 37.0 cm long
- Angled tip allows better visibility with endoscopy
- Application: debulking distal RRP and tracheal lesions
- Operating speed: 1,200 rpm
- 1 each with irrigation tubing
- Developed in conjunction with Paul Flint, MD

SERRATED BLADES



2.9 mm Serrated Angle-Tip Blade **1882936E**

- 18.0 cm long double-curved blade
- Application: papilloma and hemangioma removal
- Operating speed: 500-1,500 rpm
- 1 each with irrigation tubing

2.9 mm Serrated Angle-Tip Blade **1882937E**

- 22.0 cm long double-curved blade
- Application: papilloma and hemangioma removal
- Operating speed: 500-1,500 rpm
- 1 each with irrigation tubing

TRACHEAL BLADE



4.0 mm Straight Tracheal Blade **1884032**


- 37.0 cm long
- Straight tip to allow access through smaller diameter bronchoscope
- Application: debulking distal RRP and tracheal lesions
- Operating speed: 1,200 rpm
- 1 each with irrigation tubing
- Developed in conjunction with Paul Flint, MD, and John Little, MD

Speeds are suggested rpm (revolutions per minute), operated in oscillation mode for blades and (forward) mode for burs.

Measurements are listed in millimeters unless otherwise specified.

Tonsillectomy and Adenoidectomy Blades

RADENOID® BLADES




4.5 mm RADenoid® Adult Blade

1884507

- 13.0 cm long with curved 45° blade
- Application: adenoidectomy
- Allows better access into the choana
- Operating speed: 1,500 rpm
- 5 each, irrigation tubing separate
- Designed in conjunction with Max April, MD, and J. Lindhe Guarisco, MD

RADENOID® BLADES




4.0 mm RADenoid® Blade

1884008

- 11.0 cm long with curved 40° blade
- Application: adenoidectomy
- Operating speed: 1,500 rpm
- 5 each, irrigation tubing separate
- Designed in conjunction with Max April, MD, and J. Lindhe Guarisco, MD

TONSILLECTOMY BLADE




4.0 mm Tonsillectomy Blade

1884013

- 11.0 cm
- 12° blade
- Application: intracapsular tonsillectomy
- Operating speed: 1,500 rpm
- 5 each, irrigation tubing separate

T&A BLADE SET



Powered T&A Blade Set 1884008TA

- 13.0 cm
- Removable inner cutting tube
- 40° outer blade designed for powered adenoidectomy
- 12° outer blade designed for powered intracapsular tonsillectomy
- Operating speed: 1,500 rpm
- 5 each, irrigation tubing separate
- Developed in conjunction with Peter J. Koltai, MD

The IPC® Powered T&A Blade Set for the PITA™ Technique


Clinical studies show that PITA™ surgery (Powered Intracapsular Tonsillectomy and Adenoidectomy) offers significant advantages to most patients.⁶⁻²² With interchangeable 12° and 40° outer cutting tubes, you can remove adenoids and tonsils in the traditional order.

Benefits of Powered Adenoidectomy

- More precise tissue removal
- Lowered recurrence rate of otitis media compared to other techniques²²


Benefits of Powered Intracapsular Tonsillectomy

- Reduces postoperative bleeding and dehydration⁶
- Less postoperative pain⁹
- Quicker patient recovery compared to traditional Bovie techniques^{6-10,15,21}



Aesthetic Blades and Burs

FEATHERTOUCH® RASPS



FeatherTouch® Suction Rasp Tip (Coarse)

1992208

- 8.4 cm
- Coarse tip
- Operating speed: 3,000-5,000 rpm (forward)
- Suction integrated into rasp face
- Used with FeatherTouch Converter (1922005) and suction tubing (1895524)
- Application: rhinoplasty, dorsal hump reduction
- 2 each, irrigation tubing separate
- Developed in conjunction with Ted Cook, MD; M. Eugene Tardy, MD; and Dan Becker, MD




FeatherTouch® Converter

1922005

- Converts (forward) rotation to reciprocation
- Used in conjunction with rasp tips, suction tubing, and sterilizing tray (1922006)
- 2 each, irrigation tubing separate

FEATHERTOUCH® RASPS



FeatherTouch® Suction Rasp Tip (Fine)

1992210

- 8.4 cm
- Fine tip
- Operating speed: 3,000-5,000 rpm (forward)
- Suction integrated into rasp face
- Used with FeatherTouch Converter (1922005) and suction tubing (1895524)
- Application: rhinoplasty, dorsal hump reduction
- 2 each, irrigation tubing separate
- Developed in conjunction with Ted Cook, MD; M. Eugene Tardy, MD; and Dan Becker, MD

FeatherTouch® Suction Tubing (not pictured)

1895524

- For use with FeatherTouch Suction Rasp Tip
- 10 each

OTHER



Micro-Planer® Blade

1884010

- 11.0 cm
- Application: submental soft tissue removal
- Operating speed: 1,000-2,000 rpm, oscillate
- 5 each, irrigation tubing separate
- Developed in conjunction with Ted Cook, MD



Tardy MicroBur®

1883260

- 10.0 cm
- Application: rhinoplasty
- Operating speed: 3,000-5,000 rpm (forward)
- 5 each, irrigation tubing separate
- Developed in conjunction with M. Eugene Tardy, MD

OTHER



HydroBrader® Irrigating/Aspirating Dermabrader

1922100

- Coarse grit
- Application: dermabrasion
- Operating speed: 3,500-5,000 rpm (forward)
- 3 each, irrigation tubing separate



RhinoBur® Rhinoplasty Bur

1884566


- 10.0 cm
- Application: rhinoplasty
- Operating speed: 4,000-6,000 rpm (forward)
- 3 each, irrigation tubing separate
- Developed in conjunction with Dean Toriumi, MD

Speeds are suggested rpm (revolutions per minute), operated in oscillation mode for blades and (forward) mode for burs.

Measurements are listed in millimeters unless otherwise specified.

RhinoBur® Rhinoplasty Bur

- Sculpts the bony dorsum with finesse and control
- Particularly useful in revision cases and patients with thin nasal skin
- Allows spot burring to correct localized irregularities



References

1. Nathan RA. The burden of allergic rhinitis. Presented at the Mid-Conference Symposium of the Eastern Allergy Conference, Naples, FL. May 2006.
2. Liu C-M, Tan C-D, Lee F-P, Lin K-N, Huang H-M. Microdebrider-assisted versus radiofrequency-assisted inferior turbinoplasty. *Laryngoscope* 2009; 119:414-418.
3. Chen Y-L, Liu C-M, Huang H-M. Comparison of microdebrider-assisted inferior turbinoplasty and submucosal resection for children with hypertrophic inferior turbinates. *Intl J Ped Otorhinolaryn*. 2007; 71:921-927.
4. Chen Y-L, Tan C-T, Huang H-M. Long-term efficacy of microdebrider-assisted inferior turbinoplasty with lateralization for hypertrophic inferior turbinates in patients with perennial allergic rhinitis. *Laryngoscope* 2008; 118:1270-1274.
5. Lin H-C, Lin P-W, Friedman M, Chang H-W, Su Y-Y, Chen Y-J, Pulver T. Long-term results of radiofrequency turbinoplasty for allergic rhinitis refractory to medical therapy. *Arch Otolaryngol Head Neck Surg*. 2010; 136(9):892-895.
6. Gallagher TQ, Wilcox L, McGuire E, Derkay CS. Analyzing factors associated with major complications after adenotonsillectomy in 4776 patients: Comparing three tonsillectomy techniques. *Otolaryngol Head Neck Surg* 2010; 142:886-892.
7. Vaughan AH, Derkay CS. Microdebrider intracapsular tonsillectomy. *ORL J Otorhinolaryngol Relat Spec* 2007;69:358-63.
8. Schmidt R, Herzog A, Cook S, O'Reilly R, Deutsch E, Reilly J. Complications of tonsillectomy. A comparison of techniques. *Arch Otolaryngol Head Neck Surg* 2007;133:925-8.
9. Derkay CS, Darrow DH, Welch C, Sinacori J. Post-tonsillectomy morbidity and quality of life in pediatric patients with obstructive tonsils and adenoid: microdebrider vs electrocautery. *Otolaryngol Head Neck Surg* 2006; Jan; 134(1):114-20.
10. Sobol SE, Wetmore RF, Marsh RR, Stow J, Jacobs IN. Post-operative recovery after microdebrider intracapsular or monopolar electrocautery tonsillectomy: a prospective, randomized, single-blinded study. *Arch Otolaryngol Head Neck Surg* 2006;132:270-4.
11. Lister MT, Cunningham MJ, Benjamin B, Williams M, Tirrell A, Schaumberg DA, Hartnick CJ. Microdebrider tonsillectomy vs electrosurgical tonsillectomy: a randomized, double-blind, paired control study of postoperative pain. *Arch Otolaryngol Head Neck Surg* 2006;132:599-694.
12. Koltai PJ, Solares CA, Mascha EJ, Xu M. Intracapsular partial tonsillectomy for tonsillar hypertrophy in children. *Laryngoscope* 2002;112:17-19.
13. Koltai PJ, Solares A, Koempel JA, Hirose K, Abelson TI, Krakovitz PR, Chan J, Xu M, Mascha EJ. Intracapsular tonsillar reduction (partial tonsillectomy): reviving a historical procedure for obstructive disordered breathing in children. *Otolaryngol Head Neck Surg* 2003;129:532-8.
14. Sorin A, Bent JP, April MM, Ward RF. Complications of microdebrider-assisted powered intracapsular tonsillectomy and adenoidectomy. *Laryngoscope* 2004;114:297-300.
15. Bhayani R, Bent JP, April MM, Ward RF. Comparison of microdebrider assisted partial tonsillectomy with electrocautery tonsillectomy: retrospective pilot study. Presented at: Seventeenth Annual Meeting of the American Society of Pediatric Otolaryngology; May 12-14, 2002; Boca Raton, FL.
16. Cook SP, O'Reilly RC, Bernat R, Otto T, Lawless ST, Reilly JS. Outcome and satisfaction of intracapsular tonsillectomy in children: one-year follow-up. Presented at: Nineteenth Annual Meeting of the American Society of Pediatric Otolaryngology; May 2-4, 2004; Phoenix, AZ.
17. Bent JP, April MM, Ward RF, Sorin A, Reilly B, Weiss G. Ambulatory powered intracapsular tonsillectomy and adenoidectomy in children younger than 3 years. *Arch Otolaryngol Head Neck Surg* 2004;130:1197-1200.
18. Darrow DH, Weiss DD. Management of sleep-related breathing disorders in children. *Oper Tech Otolaryngol Head Neck Surg* 2002;13:111-8.
19. Koltai PJ. Capsule sparing in tonsil surgery: the value of intracapsular tonsillectomy [letter]. *Arch Otolaryngol Head Neck Surg* 2003;129:1357.
20. Lister MT, Cunningham MJ, Benjamin B, Williams M, Tirrell A, Schaumberg DA, Hartnick CJ. Microdebrider partial tonsillectomy vs. electrosurgical tonsillectomy: a randomized, double-blind, paired-control study of postoperative pain. Presented at: Twentieth Annual Meeting of the American Society of Pediatric Otolaryngology; May 27-30, 2005; Las Vegas, NV.
21. Mixson C, Austin MB, Weinberger P. Comparison of microdebrider subcapsular tonsillectomy to Harmonic scalpel and electrocautery total tonsillectomy. Presented at: Twentieth Annual Meeting of the American Society of Pediatric Otolaryngology; May 27-30, 2005; Las Vegas, NV.
22. Shnyder Y, April M, Willging J. Power-Assisted Adenoidectomy in the Treatment of Chronic Otitis Media with Effusion. Poster Presentation at: American Society of Pediatric Otolaryngology, May 4, 2003, Nashville, TN.

Integrated Power Console (IPC®) System

- The innovative IPC® system is the only ENT powered surgery system with the widest range of application-specific handpieces and accessories
- With fingertip control on the Straightshot® M4, the blade tip rotates 360° independently of the shaft

IPC® Console*

1898001

IPC® Power Cords

1895820

Standard, North America, 3.0 M

1897821

Standard, North America, 6.0 M

1895821

UK/Ireland, 240 V, 2.5 M

1895824

UK/Ireland, 6.0 M

1895822

Continental Europe, 230 V, 2.5 M

1895825

Continental Europe, 6.0 M

1895823

Japan

* Select a Power Cord and a System Manual

PC® System Manuals

1898851

English Only

1898851A

EL, EN, ES, FR, PT

1898851B

DE, EN, FR, IT, NL

1898851C

DA, EN, FI, NO, SV

1898851D

CS, EN, HU, PL, TR

1898851E

EN, RU (CD only)



IPC® System Multifunction Footpedal

1898430

Basket

1897510

Cart

1898600



Straightshot® M4 Microdebrider

1898200T

Straightshot® M4 Instrument Tray

1898400



For further information, please call Medtronic ENT at 800.874.5797 or 904.296.9600. You may also consult our website at www.MedtronicENT.com.

Medtronic ENT

6743 Southpoint Drive N
Jacksonville, FL 32216
USA

www.MedtronicENT.com
Toll free: (800) 874-5797
Fax: (800) 678-3995

International Telephone Numbers

Adriatic Region 385-1-488-1120
Australia 1-800-668-670
Baltic Region 37-1-67560226
Belgium 32-2456-09-09
Canada 1-800-217-1617
China 86-21-50800998
Czech Republic 420-2-9657-9580
France 33-470-679-800
Germany 49-2159-8149-209
Greece 30-210-67-79-099
Hong Kong 852-2919-1312
Hungary 36-30-5052987
India 91-22-26836733
Israel 972-9-972-4400

Italy 39-02-24137-324
Japan 81-3-6430-2017
Korea 82-2-3404-3600
Lebanon 961-1-370-670
Luxembourg 32-2456-09-09
Netherlands 31-45-566-8800
Poland 48-22-4656900
Russian Fed. 7-495-580-73-77
Singapore 65-6776-6255
South Africa 27-11-466-1820
Spain 34-91-625-05-40
Taiwan 886-2-2183-6000
UK 44-1923-205-166
USA 1-904-296-9600



Medtronic

This literature is intended for the exclusive use of physicians. Rx only USA. © 2013, Medtronic, Inc. Fusion®, IntelliFlow®, Quadcur®, Endo-Scrub®, FeatherTouch®, HydroBrader®, IPC®, Micro-Planet®, RAD®, RADenoid®, Rhinobur®, Silver Bulter®, Skimmer®, Straightshot®, Tardy Microbur® and Tricut® are registered trademarks of Medtronic, Inc. PITA™ is a trademark of Medtronic, Inc. 891189EN 03.13 2013-480 Rev 9

The views expressed in this document are those of the authors and do not necessarily reflect the official policy or position of the Department of the Navy, the Department of Defense, nor the U.S. Government.